



Traffic Products



Great Experience.

The Bondo Corporation has been engineering and manufacturing professional products for the traffic control industry for over 37 years. During this time we have remained committed to



Great Products.

understanding our customers needs and then developing products that meet and exceed those needs. Our entire organization is dedicated to this approach, from Sales, Marketing and Customer Service through Research and Development and Manufacturing. We believe that this customer driven approach makes and keeps us the leading supplier of traffic control products.

Great Results.



| Part # | Part Description | Size | Case Qty. | Case Wgt. | Cases/ Pallet |
|--------|------------------|------|-----------|-----------|---------------|
|--------|------------------|------|-----------|-----------|---------------|

ONE PART POLYURETHANE LOOP SEALANT

| | | | | | |
|-----|--------------------------------------|-------------|----|----|----|
| 560 | Bondo® Traffic – Loop Sealant, Black | 1 Liter | 12 | 46 | 24 |
| 575 | Bondo® Traffic – Loop Sealant, Gray | 1 Quart | 10 | 45 | 36 |
| 577 | Bondo® Traffic – Loop Sealant, Gray | 4.5 Gallons | 1 | 65 | 24 |
| 578 | Bondo® Traffic – Loop Sealant, Black | 4.5 Gallons | 1 | 65 | 24 |

2K POLYESTER LOOP SEALANT

| | | | | | |
|------|--|-------------|---|-----|----|
| 606 | Bondo® Traffic – Flexible Sealant, Brown | 1 Gallon | 4 | 49 | 45 |
| 6065 | Bondo® Traffic – Flexible Sealant, Brown | 4.5 Gallons | 1 | 59 | 24 |
| 9606 | Bondo® Traffic – Flexible Sealant, Brown | 50 Gallons | 1 | 633 | 2 |
| 6061 | Bondo® Traffic – Extra Flexible Sealant, Brown | 1 Gallon | 4 | 47 | 45 |
| 6063 | Bondo® Traffic – Extra Flexible Sealant, Brown | 4.5 Gallons | 1 | 55 | 24 |
| 606V | Bondo® Traffic – Large Cavity Sealant, Brown | 1 Gallon | 4 | 49 | 45 |

EPOXY SENSOR / LIGHTED CROSSWALK EPOXY

| | | | | | |
|------|---|----------|---|----|----|
| 7084 | Bondo® Traffic – Traffic Sensor Epoxy Kit, Gray | 1 Gallon | 2 | 27 | 45 |
|------|---|----------|---|----|----|

BONDO® TRAFFIC – ACCESSORIES

| | | | | | |
|------|---|-------------|----|----|-----|
| 609 | Bondo® Traffic – Hardener for #6061 & 606V | .74 FL. oz. | 12 | 11 | 672 |
| 610 | Bondo® Traffic – Speed Set Accelerator for #6061 & 606V | .50 FL. oz. | 12 | 1 | 288 |
| 5 | Bondo® Traffic – Hardener for #9606 | 1 Gallon | 1 | 3 | 108 |
| 7 | Bondo® Traffic – Hardener for #6065 | 12 FL. oz. | 2 | 3 | 304 |
| 7016 | Bondo® V-Style Squeegee | N/A | 1 | 1 | N/A |
| 7017 | Bondo® Traffic – Static Mixer Tip | N/A | 12 | 2 | 120 |
| 7019 | Bondo® Traffic – Applicator Tip for #575 | N/A | 10 | 2 | 120 |
| 6014 | Sealant Cleaner | 1 Gallon | 4 | 30 | 156 |
| 6015 | Sealant Cleaner | 5 Gallons | 1 | 36 | 36 |
| 7025 | Bondo® Traffic – Air Gun Dispensor for #575 | N/A | 1 | 13 | N/A |
| 7030 | Bondo® Traffic – Air Gun Dispensor for #560 | N/A | 1 | 6 | N/A |
| 7035 | Bondo® Battery Operated Dispensing Gun for #575 | N/A | 1 | 14 | N/A |
| 7037 | Bondo® Battery Operated Dispensing Gun for #560 | N/A | 1 | 14 | N/A |



One-Part Polyurethane Loop Sealants

Bondo One-Part Polyurethane Loop Sealants provide excellent protection for traffic detector wires under the most extreme physical, chemical or mechanical exposures. This non-shrinking, non-hazardous sealing system was designed to cure in the presence of moisture and is suitable for use on concrete and asphalt. It is also self-leveling which ensures full encapsulation of the traffic detector wires.



#560
ONE LITER SAUSAGE PACK—Black



#575
ONE QUART CARTRIDGE—Gray



#578
4.5 GALLON PAIL—Black



#577
4.5 GALLON PAIL—Gray



#606
ONE GALLON



#605
4.5 GALLON PAIL



#9606
50 GALLON DRUM

Two Component Polyester Loop Sealants

Bondo Flexible Traffic Detector Loop Sealants are a two component polyester compound that is highly durable and remains permanently flexible. This loop sealant can withstand the corrosive effects of road salts, automotive fluids, jet fuel, gasoline and extreme weather conditions. It also features rapid chemical curing, which minimizes the length a lane is closed, and superior adhesion to concrete and asphalt. All polyester loop sealants can be color tinted.

Extra Flexible Loop Sealant

Bondo Extra Flexible Traffic Detector Loop Sealant is a two component polyester compound with double the elongation (flexibility) of conventional two component polyester loop sealants.



#6061
ONE GALLON



#6063
4.5 GALLON PAIL

Large Cavity Sealant

Specifically designed for larger traffic sensors and junction areas, Bondo Large Cavity Sealant is a 100% non-shrinking polyester that cures quickly.



#606V
ONE GALLON

Lighted Crosswalk/Sensor Epoxy



#7084 (Part A)
1/2 GALLON



#7084 (Part B)
1/2 GALLON

A tough durable compound for permanently sealing traffic sensors and lighted crosswalks. This non-shrinking, self-leveling, two-component epoxy provides a solid base and superior adhesion to clean concrete, asphalt and metal. It cures in less than one hour and is highly resistant to automotive fluids, jet fuel and extreme weather conditions. Simple 1:1 mixing ratio.

Dispensing Equipment



Pneumatic Dispenser for #575

The rolling air powered dispensing gun is designed to reduce back fatigue while applying our one component, quart cartridge of polyurethane loop sealant. This high quality tool rolls smoothly and accurately across the ground and eliminates the need to bend over or kneel down to apply loop sealant. **#7025**



Battery Operated Dispensing Gun for #560

No more air compressors or dragging the air hose around the job site. Just charge the battery and pull the trigger. Designed for our one-liter sausage pack of one part polyurethane loop sealant (Part #560). The lightweight gun features a variable speed trigger and includes two rechargeable batteries and a battery charger. **#7037**



Battery Operated Dispensing Gun for #575

This battery operated dispensing gun for our one part polyurethane loop sealant (Part # 575), increases your production and flexibility on the job site. The lightweight gun features a variable speed trigger and includes two rechargeable batteries and a battery charger. **#7035**



Pneumatic Dispenser for #560

This air powered gun for our one-liter sausage pack makes dispensing loop sealant quick, easy, and virtually waste free. The pneumatic tool only requires air pressure from 50-80 psi, depending on the temperature and the desired flow rate of the loop sealant. **#7030**



V-Style Crack Squeegee

The Bondo Traffic V-Style Squeegee is the tool of choice for channeling loop sealant into loop detector cuts. Reversible for push or pull channeling. Total Length: 61 inches. **#7016**

Static Mixing Tip

Designed for use with two component polyester loop sealant products to ensure proper mixing. **#7017**

Applicator Tip

Designed for use with the #575 quart cartridge of one part polyurethane loop sealant. **#7019**

Hardeners

Hardener For Polyester Loop Sealant

Bondo sealant hardener comes in an easy to use pre-measured tube. For use with products 6061 and 606V. **#609 (.74 fluid ounces)**

Bondo Speed Set Accelerator

Bondo Speed Set Accelerator is used to accelerate the rate of cure for Bondo polyester loop sealants at temperatures below 40° F. This product makes it possible to use Bondo polyester loop sealants year-round in all temperatures. For use with products 606, 606V and 6061. **#610 (.50 fluid ounces)**

Hardener For Polyester Loop Sealant (#6065)

Pre-measured hardener for 4.5 gallon pail of loop sealant. **#7**

Hardener For Polyester Loop Sealant (#9606)

Pre-measured hardener for 50-gallon drum of loop sealant. **#5**

Cleaners

Our acetone is great for cleaning sealant dispensing machines and equipment. Available in one and five gallon pails. **#6014 Gallon**
#6015 Five-Gallon Pail





Traffic Products



3M Automotive Aftermarket Division

3M Center/Bldg. 223-6N-01

St. Paul, MN 55144-1000

1-877-MMM-CARS (666-2277)

www.3m.com/automotive

Made in U.S.A.

© 3M 2009

3M is a trademark of 3M.

Bondo is a trademark of 3M.

60-4402-4642-3